

Advanced Aerosol Retrieval and Atmospheric Correction in v2/2.1 MAIAC EPIC Algorithm

Alexei Lyapustin, GSFC Sujung Go (UMBC), Y. Wang (UMBC),

S. Korkin (USRA), M. Choi (UMBC),

O. Torres and A. Marshak



DSCOVR STM

NASA GSFC, September 28-30, 2021


NASA

Overview

- MAIAC v2/2.1 includes:
 - i) standard processing (aerosol retrieval with climatological regional aerosol models and atmospheric correction),
 - ii) advanced aerosol retrieval and speciation algorithm
- *MAIAC v2.1 re-processing 2015 2019 ... two more days*
- Reported products (standard algorithm):
 - CM, QA, $AOD_{0.44}$, spectral BRF, and BRDF model parameters over land;
 - AOD-FMF, water leaving reflectance over ocean;
- Reported products (advanced retrievals based on UV-Vis):
 - AOD, refIM(λ), SSA (for H^a=1km and 4km)
 - Speciation information on main absorbers for smoke (Bc/BrC) and dust (Hematite/Goethite)
- 1. Lyapustin A, Wang Y, Go S, Choi M, Korkin S, Huang D, Knyazikhin Y, Blank K and Marshak A (2021) Atmospheric Correction of DSCOVR EPIC: Version 2 MAIAC Algorithm. Front. Remote Sens. 2:748362. doi: 10.3389/frsen.2021.748362.
- 2. Lyapustin A., Go S., Korkin S., Wang Y., Torres O., Jethva H. and Marshak A. (2021) Retrievals of Aerosol Optical Depth and Spectral Absorption From DSCOVR EPIC. Front. Remote Sens. 2:645794. doi: 10.3389/frsen.2021.645794.
- 3. Go, S., Lyapustin, A., Schuster, G. L., Choi, M., Ginoux, P., Chin, M., Kalashnikova, O., Dubovik, O., Kim, J., Silva, A. D., Holben, B., and Reid, J. S.: Inferring iron oxides species content in atmospheric mineral dust from DSCOVR EPIC observations, Atmos. Chem. Phys. Discuss. https://doi.org/10.5194/acp-2021-599, in review, 2021.
- 4. Choi, M., A. Lyapustin, G. Schuster, S. Go, et al. Retrieval of BC and BrC smoke aerosol components from DSCOVR EPIC, Atmos. Chem. Phys. (to be submitted, 2021).



MAIAC v2: Aerosol Retrieval (standard)





MAIAC	EPIC v1	EPIC v2	MODIS (1km)
R	0.69	0.77	0.82
RMSE	0.17	0.159	0.12
Bias	0.03	0.046	0.01

v2 is a significant improvement over v1, approaching MAIAC MODIS.



MAIAC v2/2.1: Atmospheric Correction





Ancillary: Monthly average surface BRDF in RGB and NIR from MAIAC MODIS MCD19A3 product

NASA


v2/2.1 - Atmospheric Correction

- Because MODIS and EPIC view geometries are very different, the use of ancillary MODIS BRDF for EPIC AC requires investigation.
- We analyzed and compared:
 - Lambertian (underestimates BRF)
 - MAIAC Scaling Method (S)
 - Method of separation of Direct and Diffuse Reflectance (D)
- **S-method**: Ratio=BRF/Lamb is too high at high SZA (over 80-100%)
- D-method: more constrained, and Ratio nearly constant at SZA~ 0-53°.
- Selected Hybrid method for AC:
 - characterize Anisotropic Conversion Factor(ACF)
 ACF=BRF/Lamb

from EPIC's observations near local noon;


- Compute Lamb reflectance factor;
- Compute BRF=ACF × Lamb.
- ACF 1 is: 1-2% in NIR, and 8-15% in Blue
- We plan more analysis using geostationary data

Anisotropic vs Lambertian: Relative Difference (June 3, 2018)






v2/2.1: Example of Atmospheric Correction



Time series of EPIC's SR over the bright pixel in Arizona, USA, in June – early July of 2020.



Retrieved BRF (dots connected by solid lines) and the best-fit BRDF model (dashed lines) for 2 different days




Advanced Aerosol Retrievals:

- AOD and Spectral Absorption
- Aerosol Speciation (next talk)



Aerosol Absorption




from IPCC AR5


- Aerosol absorption is a very important property for both direct and indirect (semidirect) aerosol effects. Absorbing aerosols have the largest associated uncertainty in climate projections (IPCC 2013).
- Knowledge of spectral aerosol absorption is a path to aerosol speciation. For instance, black-organic carbon partitioning for smoke is an essential information for the climate/RB models and for the air quality – epidemiology (health associations) studies.
- Composition analysis of aerosol particles and investigation of toxicity and adverse health effects of different components is a central goal of the future NASA MAIA (Multi-Angle Imager for Aerosols) mission (Diner et al., 2018).
- Absorption from Current/Future Satellites
 - OMAERUV Algorithm on Aura/OMI, DSCOVR EPIC, OMPS on SNPP, S5p/TropOMI (Torres et al., 2020) and GEMS (Kim et al., 2020);
 - MISR (+ AOD, size, shape) (Kahn et al., 2010; Kahn and Gaitley, 2015);
 - MODIS/VIIRS DB (Hsu et al., 2013) provides AOD and SSA;
 - GRASP from POLDER (e.g., Dubovik et al., 2011; Chen et al., 2020);
 - Expected multi-angle spectro-polarimetry (MAIA; EUMETSAT EPS-SG/3MI; PACE SPEXone and HARP2 etc.);




UV Aerosol Absorption

- TOMS, OMI were the first instruments providing initially qualitative (AI) and later quantitative (SSA) information on aerosol absorption from pioneering works of Torres et al (Herman et al., 1997; Torres et al., 1998, 2002, 2018; Jethva et al., 2014). UV channels are key.
- The baseline OMAERUV algorithm (Torres et al., 2007) retrieves AOD-SSA from 2 channels 354-388nm **assuming spectral dependence of absorption**. Because of aerosol height sensitivity, it is reported for several heights (0, 1.5, 3, 6, 10 km). Later versions use ancillary information on spectral absorption (AERONET) and regional-seasonal height (CALIOP CALLIPSO) (Torres et al., 2013).







Kirchstetter, Novakov, JGR, 2004


Scanza et al., 2015

Eck et al., JGR, 2013 – Increase of SSA through the dry season (July to Nov) in Southern Africa



MAIAC EPIC AOD – refIM Algorithm

- Minimum Reflectance Method to characterize spectral SR ratio at 340, 388, 443 and 680nm in 4 SZA bins




- Absorption model: $k_{\lambda} = k_0 (\lambda / \lambda_0)^{-b}$ for $\lambda < \lambda_0$, where $\lambda_0 = 680$ nm (in the limit of small particles, AAE~b+1, where Absorption Ångström Exponent AAE is defined for the AAOD).
- Real refIM and size distribution are fixed. The results are reported for H^a=1 and 4km for smoke and dust.
- AOD- k_0 -b retrieval using **Levenberg-Marquart optimal fit** of 340, 388, 443 and 680nm:

$$F^{2} = 1/N \sum_{k} \left(\frac{L_{\lambda}^{m} - L_{\lambda}^{t}}{L_{\lambda}^{m}}\right)^{2} = \min\{AOD_{443}, k_{0}, b\}$$

- LUT-based retrievals on a 4x4 matrix of $b = \{0.1, 1.5, 3, 4\}$ and $k_0 = \{0.001, 0.006, 0.011, 0.016\}$ - smoke $\{0.0006, 0.0014, 0.0022, 0.003\}$ - dust.




Retrieval Example (August 17, 2018) for H^a=1km



Good stability of retrievals vs SZA




Effect of Aerosol Height (Ha=1km vs 4km)



- 1. Retrieved aerosol absorption is lower for elevated aerosols (as it should be).
- 2. Knowledge of height is important for interpretation: an apparent increase of SAE (b) and decrease of refIM (k_0) for elevated layer would point to more organic carbon and less black carbon in aerosol particles and vv.



Mineral Dust: Different Sources - Different Absorption




13




Summary SSA₄₄₃ Validation: 2018

North America Smoke




Dust: North Africa/Middle East



(A,B) 17 sites, AERONET $AOD_{440} > 0.4$ and > 0.6. (C) 15 sites ($AOD_{440} > 0.6$), with Cairo_ENM_2 and Ilorin excluded.

Spectral Dependence of Absorption

Following Figure 3 and Figure 4 of Schuster et al (2016)



Smoke: MAIAC EPIC shows higher SAE (b) than AERONET (expected from UV compared to AERONET's Blue-1020nm)


Dust: EPIC and AERONET SAE are similar



*v2: SSA*₄₄₃ *AERONET Validation (2015-2020)*

H^a= 1km (smoke, <u>dust</u>)

 $H^a = 4km$ (smoke only)



- 1. For most sites, SSA_{443} is within ± 0.05 of AERONET for >80% of retrievals (AOD>0.6)
- Indirectly assessed Ha qualitatively agrees with known aerosol plume height datasets (e.g., Val Martin et al., 2018)



Conclusions

MAIAC v2/2.1 features:

- Improved aerosol retrievals vis-a-vis v1
- Anisotropic atmospheric correction which is important in the EPIC's backscattering sun-view geometry;
- New joint retrieval of AOD and spectral absorption
- Good SSA accuracy, e.g. $R^0.62$, $rmse^0.02$, bias 0.006 for dust and $rmse^0.029$, EE=73.6% for smoke (AERONET SSA uncertainty ± 0.03)

Lyapustin A., Go S., Korkin S., Wang Y., Torres O., Jethva H. and Marshak A. (2021) Retrievals of Aerosol Optical Depth and Spectral Absorption From DSCOVR EPIC. *Front. Remote Sens.* 2:645794. doi: 10.3389/frsen.2021.645794.

Lyapustin A, Wang Y, Go S, Choi M, Korkin S, Huang D, Knyazikhin Y, Blank K and Marshak A (2021) Atmospheric Correction of DSCOVR EPIC: Version 2 MAIAC Algorithm. *Front. Remote Sens.* 2:748362. doi: 10.3389/frsen.2021.748362.

Next:

• A clear need to simultaneously retrieve H^a using EPIC A,B – O2 bands